L Number	Hits	Search Text	DB	Time stamp
-	72461	(gui or ui or (user near2 interfac$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:53
-	154	((gui or ui or (user near2 interfac$2))) near5 input near5 config$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:47
-	0	(((gui or ui or (user near2 interfac$2))) near5 input near5 config$5) and (frame$1 near3 engin$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:46
-	2047	output near5 config$5 near5 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:47
-	243	((gui or ui or (user near2 interfac$2))) near5 input near5 config$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:48
-	0	(frame$1 near3 engin$2) and (((gui or ui or (user near2 interfac$2))) near5 input near5 config$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:48
-	2	(output near5 config$5 near5 data) and (((gui or ui or (user near2 interfac$2))) near5 input near5 config$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:51
-	4	(frame$1 near3 engin$2) and ((output near5 config$5 near5 data) and ((gui or ui or (user near2 interfac$2))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:52
-	3	((output near5 config$5 near5 data) and ((gui or ui or (user near2 interfac$2)))) and inferenc$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:58
-	309	(output near5 config$5 near5 data) and ((gui or ui or (user near2 interfac$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:19
-	7874	config$7 near5 (product$1or service$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:20
-	20689	config$7 near5 (product$1 or service$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:21
-	503	config$7 near5 (product$1 or service$2) near5 order$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:27
-	3	(config$7 near5 (product$1 or service$2) near5 order$4) same internet same (on-line or online)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:23

C:\APPS\EAST\workspaces\09,684,907.wsp

–	1	(config$7 near5 (product$1 or service$2) near5 order$4) same (e-commerce)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:24
–	7	(config$7 near5 (product$1 or service$2) near5 order$4) same (commerce)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:24
–	72	config$7 near5 (product$1 or service$2) near5 order$4 near10 custom$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:14
–	1532	custom$7 near5 product$1 near5 order$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:18
–	11	(custom$7 near5 product$1 near5 order$4) same (e-commerce$1 or ecommerce$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:18
–	15097	custom$7 near5 product$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:18
–	108	(custom$7 near5 product$1) same (e-commerce$1 or ecommerce$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:19
–	2	5745765.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:05
–	2	5877966.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:05
–	8810	frame$1 near3 engin$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:32
–	9	(frame$1 near3 engin$2) and (config$5 near5 product$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:33
–	13	(frame$1 near3 engin$2) and (config$7 near5 product$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:36
–	6	cad near5 custom$4 near5 product$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:43
–	12	cad near10 custom$4 near5 product$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:44

C:\APPS\EAST\workspaces\09,684,907.wsp

-	72521	(ui or (user near2 interfac$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:23
-	179	((ui or (user near2 interfac$2))) and (project$5 near5 config$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:23
-	102	(((ui or (user near2 interfac$2))) and (project$5 near5 config$6)) and (fram$3 or inferenc$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:24
-	25	((((ui or (user near2 interfac$2))) and (project$5 near5 config$6)) and (fram$3 or inferenc$5)) and (output near5 config$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:25
-	25	((((ui or (user near2 interfac$2))) and (project$5 near5 config$6)) and (fram$3 or inferenc$5)) and (output$5 near5 config$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:25
-	0	6351734.pn. and (configur$4 near5 product$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 11:24
-	1	6351734.pn. and (configur$4 same product$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 11:24
-	1	"CAD" same (product$3 near5 hierarch$4) same fram$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:35
-	6	"CAD" same (product$3 near5 design) same fram$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:00
-	661	"CAD" same (product$3 near5 design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:00
-	20	("CAD" same (product$3 near5 design)) and (question$3 same answer$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:02
-	110	((UI or (user near2 interface)) near5 receiv$4 near5 configurat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:14
-	0	(((UI or (user near2 interface)) near5 receiv$4 near5 configurat$4)) and ((frame$1 near3 engin$2) near5 output near5 configurat$4) same inference$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:16
-	0	(((UI or (user near2 interface)) near5 receiv$4 near5 configurat$4)) and ((frame$1 near3 engin$2) near5 output$3 near5 configurat$4) same inference$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:16

-	0	(((UI or (user near2 interface)) near5 receiv$4 near5 configurat$4)) and (frame$1 near5 output$3 near5 configurat$4) same inference$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:17
-	0	(((UI or (user near2 interface)) near5 receiv$4 near5 configurat$4)) and (frame$1 near5 engine$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:18
-	33	(((UI or (user near2 interface)) near5 receiv$4 near5 configurat$4)) and (frame$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:25
-	17579	product$3 near5 configurat$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:27
-	0	(product$3 near5 configurat$4) and (fram$3 near5 engine$1) same inferenc$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:28
-	0	((product$3 near5 configurat$4) and (fram$3 near5 engine$1)) and inferenc$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:28
-	17	(product$3 near5 configurat$4) and (fram$3 near5 engine$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:31
-	9519	fram$3 near3 engine$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:32
-	0	(fram$3 near3 engine$1) same (output$4 near5 configurat$4 near5 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:34
-	5	(fram$3 near3 engine$1) and (output$4 near5 configurat$4 near5 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:34
-	24636	CAD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:35
-	91	(CAD) and (configurat$4 near5 fram$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:37
-	0	((CAD) and (configurat$4 near5 fram$2)) and (inferenc$3 near5 ouput$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:37
-	0	((CAD) and (configurat$4 near5 fram$2)) and (inferenc$3 same ouput$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:38

-	2	((CAD) and (configurat$4 near5 fram$2)) and (inferenc$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:52
-	13710	5293478.pn. (frame$1 near5 engine$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:53
-	0	5293479.pn. and (frame$1 near5 engine$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:53
-	1	5293479.pn. and (frame$1 same engine$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:20
-	0	5293479.pn. and (user$1 near5 input$4 near5 configurat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:56
-	0	5293479.pn. and (user$1 near7 input$4 near7 configurat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:56
-	0	5293479.pn. and (input$4 near7 configurat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:57
-	0	5293479.pn. and (output$4 near7 configurat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:57
-	0	5293479.pn. and (input$4 same configurat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:58
-	1	5293479.pn. and (input$4 same output$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 11:05
-	1	5293479.pn. and (select$4 near5 project$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 11:07
-	1	5293479.pn. and (user near3 interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 11:11
-	0	5293479.pn. and (user near3 interface near5 configurat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 11:11
-	1	5293479.pn. and (user near3 interface near10 configurat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:28

C:\APPS\EAST\workspaces\09,684,907.wsp

–	5142	product$3 near4 design$3 near4 (tool$1 system$1 method$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:31
–	1102	product$3 near4 configurat$3 near4 (tool$1 system$1 method$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:32
–	6168	(product$3 near4 design$3 near4 (tool$1 system$1 method$1)) or (product$3 near4 configurat$3 near4 (tool$1 system$1 method$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:32
–	0	((product$3 near4 design$3 near4 (tool$1 system$1 method$1)) or (product$3 near4 configurat$3 near4 (tool$1 system$1 method$1))) and ((frame$1 near3 engine$1) near5 (output$3 display$4)) same inference$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:36
–	0	((product$3 near4 design$3 near4 (tool$1 system$1 method$1)) or (product$3 near4 configurat$3 near4 (tool$1 system$1 method$1))) and ((frame$1) near5 (output$3 display$4)) same inference$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:35
–	1	((product$3 near4 design$3 near4 (tool$1 system$1 method$1)) or (product$3 near4 configurat$3 near4 (tool$1 system$1 method$1))) and ((frame$1) same (output$3 display$4)) same inference$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:35
–	0	5293479.pn. and (frame$1 same assembling$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:21
–	1	5293479.pn. and (frame$1 same assembl$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:23
–	1	5293479.pn. and (frame$1 near10 assembl$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:24
–	1	5293479.pn. and (frame$1 same engin$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:42
–	0	5293479.pn. and (access$4 near7 interface$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:43
–	0	5293479.pn. and (access$4 near10 interface$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:43
–	0	5293479.pn. and (access$4 same interface$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:44
–	1	5293479.pn. and (access$4 and interface$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:56

–	1	5293479.pn. and (project$4 near10 select$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:57
–	0	5784286.pn. and (product$1 near10 knowledg$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 16:56
–	1	5784286.pn. and (hierarch$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 17:00
–	24711	product$1 near3 design$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 17:01
–	66451	(product$1 configur$6) near3 design$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 17:02
–	33	((product$1 configur$6) near3 design$3) and (product$1 near5 (information knowledg$3) near5 hierarch$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 17:05